

HD HOME MINI VIDEO PROJECTOR

Q1



Inbuilt Wi-Fi



4.2 Bluetooth



1500 Lumens
300 ANSI



Stereo Sound



HD resolution
720p



Screen 35"
to 120"



30000
Hours



Light
Weight

With the Mini-Video projector you enjoy crisp and detailed images everywhere!

With a native resolution of 1280x720p, the Q1 mini video projector provides crisp and detailed images. It is perfect for displaying videos, movies, presentations and more. Diffuse reflection technology provides soft and even light, making the image soft for your eyes and reducing your eye strain during long viewing sessions.

Equipped with HDMI, TF, AV, headphone output, USB interfaces, you can easily connect the projector with TV Box, Fire Stick TV, Chromecast, PC, laptop, tablet, external speakers, Xbox, DVD player, gaming consoles, USB stick, media players, Android smartphone, etc. It offers a projection size from 35" to 120", depending on the distance.

- HD native resolution 720p compliant with 1080p
- Variable projection distance from 0.85 to 2.9m
- 2 Speakers for an optimal stereo sound
- Support multiple devices HDMI, AV and Audio supports and Bluetooth
- Compact and lightweight 150 x 140 x 97 mm / 0,8 kg

HD HOME MINI VIDEO PROJECTOR

Q1



	Q1
OPTICAL PARAMETERS	
Display Technology	2.69" LCD
Product Type	Home Projector
Lens	High transmittance lens
Native Resolution	1280x720P
Luminance	1500 lumens / 300 ANSI
Contrast Ratio	1000:1
Color Depth	16M
LED Life	>30000 hour
PROJECTION PARAMETERS	
Throw Ratio	1.18
Focus Mode	Electric Focus
Aspect Ratio	16:9/4:3
Projection Mode	Front/Rear/Front Ceiling
Projection Size	35" ~ 120"
SYSTEM	
Operation System	RTOS
Language	Chinese/English/Japanese/French/Korean/German/Russian/Spanish etc.
Wi-Fi (optional)	2.4G & 5G, for wireless Mirroring
Bluetooth (optional)	5.0, for Bluetooth earphone, speaker
INTERFACE	
USB2.0	x1
AC	x1
HDMI 1.4	x1
Audio Output	x1 (rear panel)
AV Input	x1
ELECTRICAL PARAMETERS	
Noise Standard	<45dB
Operation Temperature	0°C~40°C
Power Supply	AC100~240V
Power Consumption	≤60W
Speaker	3W*2
Standby Power	≤0.5W
PACKAGE	
Product Size	150mm x 97mm x 140mm
Package Size	690*425*282mm(8units / pack)
Product Weight	0.8kg
Accessories	Manual/Power Cord/AV Cord/HDMI Cord/Remote Control
EAN	9120072375163

COMPATIBLE RESOLUTION

Resolution	AV Support Resolution	HDMI Support Resolution
640 x 350@60Hz		
720 x 400@70Hz		
640 x 480@60/72/75Hz		
800 x 600@56/60/72/75Hz		
1024 x 768@60/70/75Hz		
1280 x 768@60/75Hz		
1280 x 800@60Hz		
1366 x 768@60Hz		
1280 x 1024@60/72/75Hz		
1400 x 1050@60Hz		
1440 x 900@60/Hz		
1680 x 1050@60Hz		
1920 x 1080@60Hz		
480i		
480p		
720i		
720p		
1080i		
1080p		

TF CARD & USB COMPATIBLE FORMAT

FILE TYPE	EXTENSION	REMARKS
Text	*.txt	Maximum Support 1MB
Music	*.avi, *.asf, *.wmv, *.ts, *.mkv, *.dat, *.vob, *.mpg, *.mpeg, *.mp3, *.mp4	MPEG1/2 Decode Sampling Rate 16KHz ~ 48KHz, Code Rate 32Kbps ~ 448Kbps
	*.avi, *.mkv, *.mp4, *.mov, *.ts, *.tp, *.dat, *.vob, *.mpg, *.mpeg, *.wav, *.m4a	LPCM Decode Sampling Rate 8KHz ~ 48KHz, Code Rate 64Kbps ~ 1.5Mbps
Photo	*.jpg, *.jpeg	Base-Line: Maximum Support Resolution 1920(x8) X 1080(x8) Progressive: Maximum Support Resolution 1024 x 768 Non-interlace: Maximum Support Resolution 1200(x8) X 800(x8)
	*.png	Interlace: Maximum Support Resolution 1024 x 768
	*.bmp	Maximum Support Resolution 1200(x8) X 800(x8)
	*.gif	Maximum Support Resolution 800(x8) X 600(x8)
Movie	*.avi	MPEG1/2/4 Maximum Support 1080P@30fps
	*.mkv	Code Rate 40Mbps
	*.mp4	H.263 Maximum Support 1080P@30fps
	*.mov	Code Rate 40Mbps
	*.mpg, *.mpeg	H.264 Maximum Support 1080P@60fps
	*.ts, *.tp, *.m2ts	Code Rate 40Mbps
	*.dat	HEVC Maximum Support 1080P@60fps
	*.flv, *.swf, *.asf	Code Rate 40Mbps
*.vob	AVS Maximum Support 1080P@30fps	
	*.rm, *.rmvb	Code Rate 40Mbps
	*.3gp, *.3gpp	AVS+ Maximum Support 1080P@30fps Code Rate 40Mbps

Subject to alterations. In consequence of continuous research and development technical specifications, design and appearance of products may change. Technical alterations reserved.
All product names are trademarks or registered trademarks of their respective owners.
© STRONG 2024. All rights reserved.

SERVICE CENTER			
AT	support_at@strong-eu.com 0820 400 150 (€ 0.12/Min. österr. Festnetz)	DE	support_de@strong-eu.com 0180 501 49 91 (€ 0.14/Min. deutsches Festnetz) (€ 0.42/Min. max. Mobilfunknetz)
BG	support_bg@strong-eu.com +359 32 634451	DK	support_dk@strong-eu.com
CZ	support_cz@strong-eu.com 844 44 44 90	FR	support_fr@strong-eu.com
NL	support_nl@strong-eu.com	PL	support_pl@strong-eu.com 801 702 017
HR	+385 1 344 57 66	SK	support_sk@strong-eu.com 0850 15 05 50
SL	+386 1 828 08 58	IT	support_it@strong-eu.com 199 404 032 Da rete fissa 24,8 cent. al min. 22,5 cent. scatto alla risposta Da rete mobile: max 49 cent. al min. 15,6 cent. scatto alla risposta
		ES	support_es@strong-eu.com +34 91 119 61 76
		PT	support_pt@strong-eu.com +351 2 100 06 125
		UA	support_ua@strong-eu.com +380 (44) 238 61 50
		HU	support_hu@strong-eu.com +36 1 445 26 10