

# HD HOME MINI VIDEO PROJECTOR

## N1



Inbuilt  
Wi-Fi



750 Lumens  
150 ANSI



HD resolution  
720p



Screen 30"  
to 100"



30000  
Hours



Light  
Weight

## Bring your video projector everywhere!

The YOUNG N1 mini video projector is small and portable. It can be carried in a pocket or a bag. Due to its compact size, the video protector fits into any pocket and can be carried by young and old without any problems. You can enjoy movies, videos and games from anywhere. Its 1080P full HD resolution gives it a sharp image with its contrast 1000:1 and its 16M colour. It offers a projection size from 30" ~ 100".

- Easy and simple to transport
- HD native resolution 720p compliant with 1080p
- Full connectivity HDMI, USB, AV In, Audio out
- Easy command with buttons on the device
- Variable projection distance from 0.85 to 2.9 m
- Mini size and weight 150 x 117 x 60 mm / 0,43 kg

# HD HOME MINI VIDEO PROJECTOR N1



	N1
<b>OPTICAL PARAMETERS</b>	
Display Technology	2.69" LCD
Product Type	Home Projector
Lens	High transmittance lens
Native Resolution	1280x720P
Luminance	750 lumens / 150 ANSI
Contrast Ratio	1000:1
Color Depth	16M
LED Life	>30000 hour
<b>PROJECTION PARAMETERS</b>	
Throw Ratio	1.1
Focus Mode	Manual Focus
Aspect Ratio	16:9/4:3
Keystone Correction	Manual vertical keystone
Projection Mode	Front/Rear/Front Ceiling/Rear Ceiling
Projection Size	30" ~ 100"
<b>SYSTEM</b>	
Operation System	RTOS
Language	Chinese/English/Japanese/French/Korean/German/Russian/Spanish etc.
<b>INTERFACE</b>	
USB2.0	x1
AC	x1
HDMI 1.4	x1
TF	x1
Audio Output	x1
AV Input	x1
<b>ELECTRICAL PARAMETERS</b>	
Noise Standard	<40dB
Operation Temperature	0°C~35°C
Power Supply	AC100~240V
Power Consumption	≤32W
Speaker	3W
Standby Power	≤0.5W
<b>PACKAGE</b>	
Product Size	60mm x 117mm x 150mm
Package Size	480*415*405mm(16units / pack)
Product Weight	0.43kg
Accessories	Manual/Power Cord/AV Cord/HDMI Cord/Remote Control
EAN	9120072375170

## COMPATIBLE RESOLUTION

### AV Support Resolution

640 x 350@60Hz  
 720 x 400@70Hz  
 640 x 480@60/72/75Hz  
 800 x 600@56/60/72/75Hz  
 1024 x 768@60/70/75Hz  
 1280 x 768@60/75Hz  
 1280 x 800@60Hz  
 1366 x 768@60Hz  
 1280 x 1024@60/72/75Hz  
 1400 x 1050@60Hz  
 1440 x 900@60/Hz  
 1680 x 1050@60Hz  
 1920 x 1080@60Hz  
 640 x 350@60Hz  
 720 x 400@70Hz

### HDMI Support Resolution

640 x 480@60/72/75Hz  
 800 x 600@56/60/72/75Hz  
 1024 x 768@60/70/75Hz  
 1280 x 768@60/75Hz  
 1280 x 800@60Hz  
 1366 x 768@60Hz  
 1280 x 1024@60/72/75Hz  
 1400 x 1050@60Hz  
 1440 x 900@60/Hz  
 1680 x 1050@60Hz  
 720 x 576i@50Hz  
 720 x 480i@60Hz  
 720 x 576P@50Hz  
 720 x 480P@60Hz  
 1280 x 720P@50/60Hz  
 1920 x 1080i@50/60Hz  
 1920 x 1080P@24/30/50/60Hz

## TF CARD & USB COMPATIBLE FORMAT

FILE TYPE	EXTENSION	REMARKS
Text	*.txt	Maximum Support 1MB
Music	*.avi, *.asf, *.wmv, *.ts, *.mkv, *.dat, *.vob, *.mpg, *.mpeg, *.mp3, *.mp4	MPEG1/2 Decode, Sampling Rate 16KHz ~ 48KHz, Code Rate 32Kbps ~ 448Kbps
	*.avi, *.mkv, *.mp4, *.mov, *.ts, *.tp, *.dat, *.vob, *.mpg, *.mpeg, *.wav, *.m4a	LPCM Decode, Sampling Rate 8KHz ~ 48KHz, Code Rate 64Kbps ~ 1.5Mbps
Photo	*.jpg	Base-Line: Maximum Support Resolution 1920(x8) X 1080(x8)
	*.jpeg	
	*.png	
	*.gif	
Movie	*.bmp	MPEG1/2/4 Maximum Support 1080P@30fps
	*.avi	
	*.mkv	Code Rate 40Mbps
	*.mp4	H.263 Maximum Support 1080P@30fps
	*.mov	Code Rate 40Mbps
	*.mpg, *.mpeg	H.264 Maximum Support 1080P@60fps
	*.ts, *.tp, *.m2ts	Code Rate 40Mbps
	*.dat	HEVC Maximum Support 1080P@60fps
	*.flv, *.swf, *.as	Code Rate 40Mbps
	*.vob	AVS Maximum Support 1080P@30fps
*.rm, *.rmvb	Code Rate 40Mbps	
*.3gp, *.3gpp	AVS+ Maximum Support 1080P@30fps Code Rate 40Mbps	

Subject to alterations. In consequence of continuous research and development technical specifications, design and appearance of products may change. Technical alterations reserved.  
 All product names are trademarks or registered trademarks of their respective owners.  
 © STRONG 2024. All rights reserved.

SERVICE CENTER			
AT	support_at@strong-eu.com 0820 400 150 (€ 0.12/Min. Österr. Festnetz)	DE	support_de@strong-eu.com 0180 501 49 91 (€ 0.14/Min. deutsches Festnetz) (€ 0.42/Min. max. Mobilfunknetz)
BG	support_bg@strong-eu.com +359 32 634451	DK	support_dk@strong-eu.com
CZ	support_cz@strong-eu.com 844 44 44 90	FR	support_fr@strong-eu.com
NL	support_nl@strong-eu.com	PL	support_pl@strong-eu.com 801 702 017
HR	+385 1 344 57 66	SK	support_sk@strong-eu.com 0850 15 05 50
SL	+386 1 828 08 58	IT	support_it@strong-eu.com 199 404 032 Da rete fissa 24.8 cent. al min. 12.5 cent. scatto alla risposta Da rete mobile: max 49 cent. al min. 15.6 cent. scatto alla risposta
		ES	support_es@strong-eu.com +34 91 119 61 76
		PT	support_pt@strong-eu.com +351 2 100 06 125
		UA	support_ua@strong-eu.com +380 (44) 238 61 50
		HU	support_hu@strong-eu.com +36 1 445 26 10